# **Product information**

## Cera Tec

## PI 57/02/25/2025



## **Description**

High-tech anti-wear additive, suitable for most 4stroke engines as well as manual transmissions and compressors. Reduces friction and wear thanks to a unique combination of ceramic compounds and chemical anti-wear agents. It will prevent direct metal-to-metal contact and reduce friction to increase engine life and efficiency in gasoline and diesel engines.

## **Properties**

- Reduces friction losses in the engine
- Protects the engine in emergency running
- Reduces wear during cold starts and while operating
- increases smooth operation
- highest thermal stability
- excellent high and low temperature behavior
- stable under extreme pressures
- long engine service life
- chemically inert
- miscible with all commercially available motor oils
- compatible with fine filters
- ideal with turbochargers and catalytic converters
- use with diesel particulate filters

#### Technical data

Base BN micro ceramic

Color / appearance beige

Particle size Majority < 0.5 µm up to 2192 °F

temperature resistance of the

ceramic particles

Density at 68 °F 0,893 g/cm<sup>3</sup>

DIN 51757

Viscosity at 68 °F ~250 mPas

DIN 51398

Flash point >100 °F

**DIN ISO 2592** 

-4 °F Pour point

**DIN ISO 3016** 

Form liquid

Odor characteristic

### Areas of application

Use in 4-stroke gasoline and diesel engines, with or without turbochargers. Miscible with most commercially available motor oils. Safe with catalytic converters and particulate filters (GPF/DPF) as well as for belt-in-oil systems.



#### Comment

Not suitable for use with wet clutches!

▲ WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

## **Application**

One full can (300 ml) used with 3-5 Liters (3.2 to 5.3 U.S. Qts) of motor oil. Long-term effect up to 50,000 km (30,000 miles). Shake well before use. Not suitable for use with DSG/DCT-, automatic-transmissions or wet-clutch differentials. For best protection, use with every oil change.

### Available pack sizes

300 ml Bottle aluminum 20002

USA-AND-CANADA-EN-F

Our information is based on thorough research and may be considered reliable, although not legally binding.